


UNIVERSITY OF PORTLAND LIBRARY
TA401.A64
American Society for Testing and
Annual book of ASTM standards



3 2837 00060 9039

Volume 00.01 is the
index. It tells you
what volume specific
tests are in.

1992



ANNUAL BOOK OF ASTM STANDARDS



Index



VOLUME
00.01 Subject Index; Alphanumeric List

Revision issued annually

Chemical analysis

ASTM B 767 is in volume 02.05

- hydrogen loss of copper/tungsten/iron powders, test, E 159 (02.05,03.05)
- mass per unit area of electrodeposited/related coatings, by gravimetric/other chemical analysis procedures, guide, B 767 (02.05)
- packed-column gas chromatography, practice, E 260 (14.01)
- pH of aqueous solutions, with glass electrode, test, E 70 (15.05)
- precision of ASTM methods for analysis/testing of industrial chemicals, practice, E 180 (15.05)
- specific gravity (apparent) of liquid industrial chemicals, by hydrometer/pycnometer methods, test, D 891 (15.05)
- trace amounts of arsenic in inorganic industrial chemicals, by colorimetric determination, test, E 533 (15.05)
- trace amounts of arsenic in organic industrial chemicals, by colorimetric determination, test, E 819 (15.05)
- water content in liquid organic chemicals, by coulometric Karl Fischer titration, test, E 1064 (15.05)

Chemical analysis—adhesives

- resistance of adhesive bonds to chemical reagents, test, D 896 (15.06)

Chemical analysis—atmospheric

See Atmospheric analysis (headings)

Chemical analysis—chemicals (organic/inorganic)

- packaging/marking/loading methods for steel products for domestic shipment, practice, A 700 (01.01,01.03,01.04,01.05) - ASTM A 700

Chemical analysis—chromatography

See Chromatography (headings)

Chemical analysis—concrete/aggregate

- potential alkali reactivity of aggregates (in portland cement concrete), by quick chemical method, test, C 289 (04.02)

Chemical analysis—detergent materials

- alkylbenzene (detergent alkylate), selecting test procedures, D 1569 (15.04)
- chemical analysis of alpha olefin sulfonates, methods, D 3673 (15.04)
- chemical analysis of industrial metal cleaning compositions, methods, D 800 (15.04)
- chemical analysis of soaps containing synthetic detergents, methods, D 820 (15.04)
- chemical analysis of sulfonated/sulfated oils, test, D 500 (15.04)
- sampling/chemical analysis of alkaline detergents, methods, D 501 (15.04)
- sampling/chemical analysis of alkylbenzene sulfonates, methods, D 1568 (15.04)
- sampling/chemical analysis of chlorine-containing bleaches, methods, D 2022 (15.04)
- sampling/chemical analysis of emulsion polymers (for use in floor polishes), methods, D 3716 (15.04)
- sampling/chemical analysis of fatty alkyl sulfates, methods, D 1570 (15.04)
- sampling/chemical analysis of soaps/soap products, methods, D 460 (15.04)
- synthetic quaternary ammonium salts in fabric softeners, by potentiometric titration, test, D 5070 (15.04)

Chemical analysis—electrical contacts

- Electrical contact materials (headings)
- electrical contact alloy (75 % silver, 24.5 % copper, 0.5 % nickel), spec., B 780 (03.04)
- silver-cadmium oxide contact material, guide, B 781 (03.04)
- specifying chemical compositions for electrical contact materials (arcing/nonarcing), guide, B 772 (03.04)

Chemical analysis—insulation

- chemical analysis of thermal insulation materials for leachable chloride/fluoride/silicate/sodium ions, methods, C 871 (04.06)

Chemical analysis—metals/alloys

See Metals and metallic materials—chemical analysis

- apparatus for microdetermination of carbon/hydrogen in organic/organo-metallic compounds, spec., E 191 (14.02)
- assigning crystallographic phase designations in metallic systems, test, E 157 (03.01)
- chemical analysis of nickel/cobalt/high temperature alloys, test, E 1473 (03.06)
- chemical analysis of refined gold, by direct current plasma emission spectroscopy, test, E 1446 (03.06)
- depth of decarburization of steel specimens, test, E 1077 (03.01)
- preparation of reactive and refractory metal/alloy samples, by electric arc remelting for chemical composition analysis, practice, E 1306 (03.06)
- stainless steel- optical emission vacuum spectrometric analysis, by point-to-plane excitation technique, method, E 1086 (03.06)

Chemical analysis—nuclear materials

- chemical/instrumental analysis of core components for liquid metal fast breeder reactors (LMFBR), test, C 983 (12.01)
- chemical/mass spectrometric/spectrochemical analysis of nuclear-grade uranium dioxide powders/pellets, methods, C 696 (12.01)
- establishing a measurement system quality control program for analytical chemistry laboratories within the nuclear industry, guide, C 1210 (12.01)
- establishing a quality assurance program for analytical chemistry laboratories within the nuclear industry, guide, C 1009 (12.01)
- preparation and dissolution of plutonium materials for analysis, practice, C 1168 (12.01)

Chemical analysis—paints/related coatings/materials

- calcium borosilicate, test, D 4487 (06.02)
- C₄-C₁₃ alcohols, chemical/physical analysis (selection/use of test procedures), E 852 (06.03,15.05)
- chemical analysis of yellow/orange/red/brown pigments containing iron/manganese, test, D 50 (06.02)
- ethyl methyl pentanol content/purity value of 2-ethylhexanol, by gas chromatography, test, D 5008 (06.03)
- sampling industrial chemicals, practice, E 300 (06.03,15.05)
- white linseed oil paints- chemical analysis, selecting test methods, practice, D 215 (06.01)
- white/yellow thermoplastic traffic marking material containing lead chromate and titanium dioxide, test, D 4797 (06.01)
- zinc hydroxy phosphite, test, D 4450 (06.02)

Chemical analysis—petroleum products

- Petroleum/petroleum products (headings)
- analysis of demethanized hydrocarbon liquid mixtures containing nitrogen/carbon dioxide, by gas chromatography, test, D 2597 (05.02)

Chemical analysis—protective clothing

See Chemicals—protective clothing

Chemical analysis—refractories

- chemical analysis of carbon/carbon-ceramic refractories, methods, C 571 (03.05)
- chemical analysis of chrome-containing refractories/chrome ore, method, C 572 (03.05)
- chemical analysis of fireclay/high-alumina refractories, methods, C 573 (03.05)
- chemical analysis of magnesite/dolomite refractories, test, C 574 (03.05)
- chemical analysis of silica refractories, methods, C 575 (03.05)
- chemical analysis of zirconia refractories, test, C 705 (03.05)
- chemical analysis of zircon refractories, methods, C 576 (03.05)

Chemical analysis—refuse-derived fuel (RDF)

See Resource recovery (headings)

Chemical analysis—rubber chemicals/materials

- Rubber (headings)
- 2-mercaptobenzothiazole (MBT) assay, test, D 1991 (09.01)
- acidity in sulfur, test, D 4569 (09.01)
- bromine in presence of chlorine, by oxygen combustion, practice, D 3566 (09.01)

- White pages in 00.01 are by subject

Gray page at
back of 00.01
list test # in order

ASTM D4847 is in
volume 07.02

- D 4846-88 Test Method for Resistance to Unsnapping of Snap Fasteners, 07.02
- D 4847-88 Specifications for Woven Awning and Canopy Fabrics, 07.02
- D 4848-91a Terminology Relating to Force and Deformation Properties of Textiles, 07.02
- D 4849 Discontinued 1992: Terminology Relating to Yarn
- D 4850-91 Terminology Relating to Fabric, 07.02
- D 4851-88 Test Methods for Coated and Laminated Fabrics for Architectural Use, 07.02
- D 4852-88 Practice for Evaluation of Attached Upholstery Fabrics, 07.02
- D 4853-91 Guide for Reducing Test Variability, 07.02
- D 4854-91 Guide for Estimating the Magnitude of Variability from Expected Sources in Sampling Plans, 07.02
- D 4855-91 Practices for Comparing Test Methods, 07.02
- D 4856-88 Test Method for Sulfuric Acid Mist in the Workplace Atmosphere (Ion Chromatographic), 11.03
- D 4857-88⁴¹ Test Method for Determination of the Ability of Lubricants to Minimize Ring Sticking and Piston Deposits in Two-Stroke-Cycle Gasoline Engines Other Than Outboards, 05.03
- D 4858-88 Test Method for Determination of the Tendency of Lubricants to Promote Preignition in Two-Stroke-Cycle Gasoline Engines, 05.03
- D 4859-88⁴¹ Specification for Lubricants for Two-Stroke-Cycle Spark-Ignition Gasoline Engines—TC, 05.03
- D 4860-91 Test Method for Free Water and Particulate Contamination in Mid-Distillate Fuels (Clear and Bright Numerical Rating), 05.03
- D 4861-91 Practice for Sampling and Analysis of Pesticides and Polychlorinated Biphenyls in Indoor Atmospheres, 11.03
- D 4862-88 Test Method for Evaluating Hydraulic Transmission Fluid Antiwear Properties, 05.03
- D 4863-88⁴² Test Method for Determination of the Lubricity of Two-Stroke Gasoline Engine Lubricants, 05.03
- D 4864-90 Test Method for the Determination of Traces of Methanol in Propylene Concentrates by Gas Chromatography, 05.03
- D 4865-91 Guide for the Generation and Dissipation of Static Electricity in Petroleum Fuel Systems, 05.03
- D 4866-88 Performance Standard for Coal Tar Pitch Emulsion Pavement Sealer Formulations Containing Mineral Aggregates and Optional Polymeric Admixtures, 04.04
- D 4867-88⁴¹ Test Method for Effect of Moisture on Asphalt Concrete Paving Mixtures, 04.03
- D 4868-90 Test Method for Estimation of Net and Gross Heat of Combustion of Petroleum Fuels, 05.03
- D 4869-88 Specification for Asphalt-Saturated Organic Felt Shingle Underlayment Used in Roofing, 04.04
- D 4870-88 Test Method for Total Sediment in Residual Fuels, 05.03
- D 4871-88 Guide for Universal Oxidation/Thermal Stability Test Apparatus, 05.03
- D 4872-88 Test Method for Dielectric Testing of Wire and Cable Filling Compounds, 10.02
- D 4873-88 Guide for Identification, Storage, and Handling of Geotextiles, 04.08
- D 4874-89 Method for Leaching Solid Waste in a Column Apparatus, 11.04
- D 4875-88 Test Methods of Polyurethane Raw Materials: Determination of the Polymerized Ethylene Oxide Content of Polyether Polyols, 08.03
- D 4876-88 Test Method for Polyurethane Raw Materials: Determination of Acidity of Crude or Modified Isocyanates, 08.03
- D 4877-88 Test Method for Polyurethane Raw Materials: Determination of Color in Isocyanates, 08.03
- D 4878-88 Test Method for Polyurethane Raw Materials: Determination of Viscosity of Polyols, 08.03
- D 4879-89 Guide for Geotechnical Mapping of Large Underground Openings in Rock, 04.08
- D 4880-88 Test Method for Salt Water Proffness of Insulating Varnishes Over Enamelled Magnet Wire, 10.02
- D 4881-88 Test Method for Thermal Endurance of Varnished Fibrous or Film Wrapped Magnet Wire, 10.02
- D 4882-88 Test Method for Bond Strength of Electrical Insulating Varnishes by the Twisted Coil Test, 10.02
- D 4883-89 Test Method for Density of Polyethylene by the Ultrasound Technique, 08.03
- D 4884-90 Test Method for Seam Strength of Sewn Geotextiles, 04.08
- D 4885-88 Test Method for Determining Performance Tensile Strength of Geomembranes Using Wide Strip Testing, 04.08
- D 4886-88 Test Method for Abrasion Resistance of Geotextiles (Sand Paper/Sliding Block Method), 04.08
- D 4887-89 Practice for Preparation of Viscosity Blends for Hot Recycled Bituminous Materials, 04.03
- D 4888-88 Test Method for Water Vapor in Natural Gas Using Length-of-Stain Detector Tubes, 05.05
- D 4889-88 Test Method for Polyurethane Raw Materials: Determination of Viscosity of Crude or Modified Isocyanates, 08.03
- D 4890-88 Test Method for Polyurethane Raw Materials: Determination of Gardner and APHA Color of Polyols, 08.03
- D 4891-89 Test Method for Heating Value of Gases in Natural Gas Range by Stoichiometric Combustion, 05.05
- D 4892-89 Test Method for Density of Solid Pitch (Helium Pycnometer Method), 04.04
- D 4893-89 Test Method for Determination of Pitch Volatility, 04.04
- D 4894-91a Specification for Polytetrafluoroethylene (PTFE) Granular Molding and Ram Extrusion Materials, 08.03
- D 4895-91a Specification for Polytetrafluoroethylene (PTFE) Resins Produced from Dispersion, 08.03
- D 4896-89 Guide for Use of Adhesive-Bonded Single Lap-Joint Specimen Test Results, 15.06
- D 4897-89 Specification for Asphalt-Coated Glass-Fiber Venting Base Sheet Used in Roofing, 04.04
- D 4898-90 Test Method for Insoluble Contamination of Hydraulic Fluids by Gravimetric Analysis, 05.03
- D 4899-89 Practice for Analysis of Vegetable Tanning Materials—General, 15.04
- D 4900-89 Test Method for Lignosulfonates (Sulfite Cellulose) in Tanning Extracts, 15.04
- D 4901-89 Practice for Preparation of Solution of Liquid Vegetable Tanning Extracts, 15.04
- D 4902-89 Practice for Evaporation and Drying of Analytical Solutions, 15.04
- D 4903-89 Test Method for Total Solids and Water in Vegetable Tanning Material Extracts, 15.04
- D 4904-89 Practice for Cooling of Analytical Solutions, 15.04
- D 4905-89 Practice for Preparation of Solution of Solid, Pasty and Powdered Vegetable Tanning Extracts, 15.04
- D 4906-89 Test Method for Total Solids and Ash Content in Leather Finishing Materials, 15.04
- D 4907-89 Method for Nitrocellulose in Finish on Leather, 15.04
- D 4908-89 Method for Tackiness of Finish on Leather, 15.04
- D 4909-89 Test Method for Color Stability of Vinyl-Coated Glass Textiles to Accelerated Weathering, 07.02
- D 4910-89⁴¹ Standard Table of Body Measurements for Infants, Ages 0 to 18 Months, 07.02
- D 4911-89 Specification for Tolerances for Man-Made Yarns Spun on the Parallel Worsted or Modified Worsted System, 07.02
- D 4912-89 Test Method for Fabric Stability of Vinyl-Coated Glass Yarn Insect Screening and Louver Cloth, 07.02
- D 4913-89 Practice for Determining the Concentration of Hydrogen Sulfide by Direct Reading, Length-of-Stain, Visual Chemical Detectors, 11.03
- D 4914-89 Test Method for Density of Soil and Rock in Place by the Sand Replacement Method in a Test Pit, 04.08
- D 4915-89 Practice for Manual Sampling of Coal from Tops of Railroad Cars, 05.05
- D 4916-91 Guide for Mechanical Auger Sampling, 05.05
- D 4917-89 Test Method for Coefficient of Static and Kinetic Friction of Uncoated Writing and Printing Paper by Use of the Horizontal Plane Method, 15.09
- D 4918-89 Test Method for Coefficient of Static Friction of Uncoated Writing and Printing Paper by Use of the Inclined Plane Method, 15.09
- D 4919-89⁴¹ Specification for Testing of Hazardous Materials Packaging, 15.09
- D 4920-89 Terminology Relating to Moisture in Textiles, 07.02
- D 4921-89 Test Method for Foaming Tendencies of Engine Coolants at Room Temperature, 15.05
- D 4922-89 Test Method for the Determination of Radioactive Iron in Water, 11.02
- D 4923-89 Specification for Reinforced Thermosetting Plastic Poles, 08.03
- D 4924-89 Classification for Petroleum Waxes for Use in Rubber Compounding, 09.01
- D 4925-89 Method for Flexibility and Adhesion of Finish on Leather, 15.04
- D 4926-89 Method of Test for Gamma Alumina Contents in Catalyst Containing Silica and Alumina by X-Ray Powder Diffraction, 05.03
- D 4927-89 Test Methods for Elemental Analysis of Lubricant and Additive Components—Barium, Calcium, Phosphorus, Sulfur, and Zinc by Wavelength-Dispersive X-Ray Fluorescence Spectroscopy, 05.03
- D 4928-89 Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration, 05.03
- D 4929-89 Methods for Determination of Organic Chloride Content in Crude Oil, 05.03
- D 4930-89 Test Method for Dust Control Material on Calcined Petroleum Coke, 05.03
- D 4931-89 Test Method for Gross Mixture in Green Petroleum Coke, 05.03
- D 4932-89 Test Methods for Fastener Rupture and Tear Resistance of Roofing and Waterproofing Sheets, Roll Roofing, and Shingles, 04.04
- D 4933-91 Standard Guide for Moisture Conditioning of Wood and Wood-Base Materials, 04.09
- D 4934-89 Test Method for Rubber Compounding Materials: 2-Benzothiazyl Sulfenamide Accelerators—Insolubles, 09.01
- D 4935-89 Test Method for Measuring the Electromagnetic Shielding Effectiveness of Planar Materials, 10.02
- D 4936-91 Test Method for Mercaptobenzothiazole Sulfenamide Assay by Reduction/Titration, 09.01
- D 4937-91 Test Method for *p*-Phenylenediamine Antidegradants—Purity by Gas Chromatography, 09.01
- D 4938-89 Test Method for Erosion Testing of Antifouling Paints Using High Velocity Water, 06.01
- D 4939-89 Method for Subjecting Marine Antifouling Coating to Biofouling and Fluid Shear Forces in Natural Seawater, 06.01
- D 4940-89 Method for Conductimetric Analysis of Water Soluble Ionic Contamination of Blasting Abrasives, 06.01
- D 4941-89 Practice for Preparing Drawdowns of Artists' Paste Paints, 06.01
- D 4942-89 Test Methods for Water Pickup of Lithographic Printing Inks and Vehicles in a Laboratory Mixer, 06.01
- D 4943-89 Test Method for Shrinkage Factors of Soils by the Wax Method, 04.08